CONTENTS

Volume 165 No. 1 January 1, 1987

1 DAVID J. PATERSON, JON R. GREEN, WILFRED A. JEFFERIES, MICHAEL PUKLAVEC, and ALAN F. WILLIAMS. The MRC OX-44 antigen marks a functionally relevant subset among rat thymocytes

14 RANJIT S. PARHAR and PEEYUSH K. LALA. Amelioration of B16F10 melanoma lung metastasis in mice by a combination therapy with indomethacin and interleukin 2

29 LISE WEISMAN DURAN and ELEANOR S. METCALF. Antibody-defective, genetically susceptible CBA/N mice have an altered *Salmonella typhimurium*-specific B cell repertoire

47 GIUSEPPE CARRA and ROBERTO S. ACCOLLA. Structural analysis of human Ia antigens reveals the existence of a fourth molecular subset distinct from DP, DQ, and DR molecules

64 JEAN-PAUL COUTELIER, JOS T. M. VAN DER LOGT, FRANS W. A. HEESSEN, GUY WARNIER, and JACQUES VAN SNICK. IgG2a restriction of murine antibodies elicited by viral infections

70 JAYNE CHIN, PATRICIA M. CAMERON, ELIZABETH RUPP, and JOHN A. SCHMIDT. Identification of a high-affinity receptor for native human interleukin 1β and interleukin 1α on normal human lung fibroblasts

87 YOSHIHIRO ASANO and TOMIO TADA. Epitopes associated with the MHC restriction site of T cells. II. Somatic generation of Iat epitopes on T cells in radiation bone marrow chimeras

97 C. CHAPONNIER, H. L. YIN, and T. P. STOSSEL. Reversibility of gelsolin/actin interaction in macrophages. Evidence of Ca^{2+}-dependent and Ca^{2+}-independent pathways

107 CAROLYN J. KELLY and ERIC G. NEILSON. Contrasuppression in autoimmunity. Abnormal contrasuppression facilitates expression of nephritogenic effector T cells and interstitial nephritis in kdkd mice

124 YASUKO UCHIGATA, STEVEN L. SPITALNIK, OSAMU TACHIWAKI, KALMAN F. SALATA, and ABNER LOUIS NOTKINS. Pancreatic islet cell surface glycoproteins containing Galβ1-4GlcNAc-R identified by a cytotoxic monoclonal autoantibody

140 DAVID M. MOSSER, HELEN VLASSARA, PAUL J. EDELSON, and ANTHONY CERAMI. Leishmania promastigotes are recognized by the macrophage receptor for advanced glycosylation endproducts

146 OSAMU TAGUCHI and YASUAKI NISHIZUKA. Self tolerance and localized autoimmunity. Mouse models of autoimmune disease that suggest tissue-specific suppressor T cells are involved in self tolerance

157 JANE HU-LI, ETHAN M. SHEVACH, JUNICHIRO MIZUGUCHI, JUNICHI OHARA, TIM MOSMANN, and WILLIAM E. PAUL. B cell stimulatory factor 1 (interleukin 4) is a potent costimulant for normal resting T lymphocytes

173 JONATHAN D. ASHWELL, ROBERT E. CUNNINGHAM, PHILIP D. NOGUCHI, and DIANA HERNANDEZ. Cell growth cycle block of T cell hybridomas upon activation with antigen

195 WARD E. BULLOCK and SAMUEL D. WRIGHT. Role of the adherence-promoting receptors, CR3, LFA-1, and p150,95, in binding of *Histoplasma capsulatum* by human macrophages

211 MICHAEL J. DARSLEY, HIROAKI TAKAHASHI, MARY J. MACCHI, JEFFREY A. FRELINGER, KEIKO OZATO, and ETTORE APPELLA. New family of exon-shuffled recombinant genes reveals extensive interdomain interactions in class I histocompatibility antigens and identifies residues involved

223 KEISUKE TESHIGAWARA, HUEY-MEI WANG, KOICHI KATO, and KENDALL A. SMITH. Interleukin 2 high-affinity receptor expression requires two distinct binding proteins

BRIEF DEFINITIVE REPORTS

239 H. KRISHNA PRASAD, RADHEY S. MISHRA, and INDIRA NATH. Phenolic glycolipid-I of *Mycobacterium leprae* induces general suppression of in vitro concanavalin A responses unrelated to leprosy type

245 FELICIA GASKIN, BEVERLY S. KINGSLEY, and SHU MAN FU. Autoantibodies to neurofibrillary tangles and brain tissue in Alzheimer's disease. Establishment of Epstein-Barr virus-transformed antibody-producing cell lines

251 ARNOLD E. POSTLETHWAITE, JORMA KESKI-OJA, HAROLD L. MOSES, and ANDREW H. KANG. Stimulation of the chemotactic migration of human fibroblasts by transforming growth factor β

257 MARK A. BEHLKE, TIMOTHY J. HENKEL, STEVEN J. ANDERSON, NANCY C. LAN, LEROY HOOD, VIVIAN L. BRACIALE, THOMAS J. BRACIALE, and DENNIS Y. LOH. Expression of a murine polyclonal T cell receptor marker correlates with the use of specific members of the $V_\beta 8$ gene segment subfamily

263 VINCENT AGNELLO, FERNANDO GOÑI, J. L. BARNES, MARIA-TERESA DE LA VEGA, and BLAS FRANGIONE. Human rheumatoid factor crossidiotypes. II. Primary structure-dependent crossreactive idiotype, PSL2-CRI, present on Wa monoclonal rheumatoid factors is present on Bla and other IgMκ monoclonal autoantibodies

268 YASUSHI HAMAGUCHI, YUZURU KANAKURA, JUN FUJITA, SHUN-ICHI TAKEDA, TORU NAKANO, SEIICHIRO TARUI, TASUKU HONJO, and YUKIHIKO KITAMURA. Interleukin 4 is an essential factor of in vitro clonal growth of murine connective tissue–type mast cells

275 RETRACTION

Volume 165 No. 2 February 1, 1987

279 SIMONA B. SORGER, STEPHEN M. HEDRICK, PAMELA J. FINK, MICHAEL A. BOOKMAN, and LOUIS A. MATIS. Generation of diversity in T cell receptor repertoire specific for pigeon cytochrome c

302 MARC K. JENKINS and RONALD H. SCHWARTZ. Antigen presentation by chemically modified splenocytes induces antigen-specific T cell unresponsiveness in vitro and in vivo

320 ANNELISE WOHLWEND, DOMINIQUE BELIN, and JEAN-DOMINIQUE VASSALLI. Plasminogen activator–specific inhibitors produced by human monocytes/macrophages

340 LISE WEISMAN DURAN and ELEANOR S. METCALF. Clonal analysis of primary B cells responsive to the pathogenic bacterium *Salmonella typhimurium*

359 FRANCIS W. KLOTZ, DIANA E. HUDSON, HAYDEN G. COON, and LOUIS H. MILLER. Vaccination-induced variation in the 140 kD merozoite surface antigen of *Plasmodium knowlesi* malaria

368 ALAN F. WILLIAMS, A. NEIL BARCLAY, SUSAN J. CLARK, DAVID J. PATERSON, and ANTHONY C. WILLIS. Similarities in sequences and cellular expression between rat CD2 and CD4 antigens

381 LARRY S. MCDANIEL, JANET YOTHER, MOSES VIJAYAKUMAR, LYNN MCGARRY, WALTER R. GUILD, and DAVID E. BRILES. Use of insertional inactivation to facilitate studies of biological properties of pneumococcal surface protein A (PspA)

395 DAVID B. DURAND, MARK R. BUSH, JOHN G. MORGAN, ARTHUR WEISS, and GERALD R. CRABTREE. A 275 basepair fragment at the 5′ end of the interleukin 2 gene enhances expression from a heterologous promoter in response to signals from the T cell antigen receptor

408 FRANCES GOTCH, ANDREW MCMICHAEL, GEOFFREY SMITH, and BERNARD MOSS. Identification of viral molecules recognized by influenza-specific human cytotoxic T lymphocytes

417 SUSAN J. FAAS, SUEIHUA PAN, CARL A. PINKERT, RALPH L. BRINSTER, and BARBARA B. KNOWLES. Simian virus 40 (SV40)-transgenic mice that develop tumors are specifically tolerant to SV40 T antigen

428 PEDRO APARICIO, DOLORES JARAQUEMADA, and JOSÉ A. LÓPEZ DE CASTRO. Alloreactive cytolytic T cell clones with dual recognition of HLA-B27 and HLA-DR2 antigens. Selective involvement of CD8 in their class I–directed cytotoxicity

444 YOUNG-HOON PARK and DENNIS G. OSMOND. Phenotype and proliferation of early B lymphocyte precursor cells in mouse bone marrow

459 EIJI WATARI, BARNHARD DIETZSCHOLD, GYULA SZOKAN, and ELLEN HEBER-KATZ. A synthetic peptide induces long-term protection from lethal infection with herpes simplex virus 2

471 EMIL C. GOTSCHLICH, MICHAEL SEIFF, and MILAN S. BLAKE. The DNA sequence of the structural gene of gonococcal protein III and the flanking region containing a repetitive sequence. Homology of protein III with enterobacterial OmpA proteins

483 PAOLA MIGLIORINI, BLAIR ARDMAN, JUNICHI KABURAKI, and ROBERT S. SCHWARTZ. Parallel sets of autoantibodies in MRL-*lpr*/*lpr* mice. An anti-DNA, anti-SmRNP, anti-gp70 network

500 JILL O'DONNELL-TORMEY, CARL F. NATHAN, KARL LANKS, CAROL J. DEBOER, and JON DE LA HARPE. Secretion of pyruvate. An antioxidant defense of mammalian cells

515 SUMI L. KOIDE, KAYO INABA, and RALPH M. STEINMAN. Interleukin 1 enhances T-dependent immune responses by amplifying the function of dendritic cells

531 CHARLES T. LUTZ, TIMOTHY L. BARTHOLOW, NEIL S. GREENSPAN, R. JERROLD FULTON, WILLIAM J. MONAFO, ROGER M. PERLMUTTER, HENRY V. HUANG, and JOSEPH M. DAVIE. Molecular dissection of the murine antibody response to streptococcal group A carbohydrate

546 M. JULIANA MCELRATH, GILLA KAPLAN, ASMA NUSRAT, and ZANVIL A. COHN. Cutaneous leishmaniasis. The defect in T cell influx in BALB/c mice

BRIEF DEFINITIVE REPORTS

560 JOHN R. RODGERS, ROGER SMITH, III, and ROBERT R. RICH. Maternally transmitted antigens are codominantly expressed by mouse cells containing two kinds of mitochondrial DNA

566 MARGARET J. DALLMAN, KATHRYN J. WOOD, and PETER J. MORRIS. Specific cytotoxic T cells are found in the nonrejected kidneys of blood-transfused rats

572 LEORA S. ZALMAN, LORRAINE M. WOOD, MICHAEL M. FRANK, AND HANS J. MÜLLER-EBERHARD. Deficiency of the homologous restriction factor in paroxysmal nocturnal hemoglobinuria

578 DONALD C. REASON. A murine hybridoma with large cytoplasmic inclusions of κ light chains

584 SUSAN WEBB and JONATHAN SPRENT. Downregulation of T cell responses by antibodies to the T cell receptor

Volume 165 No. 3 March, 1987

591 AIKICHI IWAMOTO, PAMELA S. OHASHI, HANSPETER PIRCHER, CHRISTINA L. WALKER, E. EFFIE MICHALOPOULOS, FABIO RUPP, HANS HENGARTNER, and TAK W. MAK. T cell receptor variable gene usage in a specific cytotoxic T cell response. Primary structure of the antigen-MHC receptor of four hapten-specific cytotoxic T cell clones

601 JAN JONGSTRA, THOMAS J. SCHALL, BRADLEY J. DYER, CAROL CLAYBERGER, JEFFREY JORGENSEN, MARK M. DAVIS, and ALAN M. KRENSKY. The isolation and sequence of a novel gene from a human functional T cell line

615 KAORU OTSU, TORU NAKANO, YUZURU KANAKURA, HIDEKAZU ASAI, HOWARD R. KATZ, K. FRANK AUSTEN, RICHARD L. STEVENS, STEPHEN J. GALLI, and YUKIHIKO KITAMURA. Phenotypic changes of bone marrow–derived mast cells after intraperitoneal transfer into W/W^v mice that are genetically deficient in mast cells

628 HIROYUKI WATANABE and SHIRO BANNAI. Induction of cystine transport activity in mouse peritoneal macrophages

641 JACQUES VAN SNICK, ANNE VINK, SYLVIE CAYPHAS, and CATHERINE UYTTENHOVE. Interleukin-HP1, a T cell–derived hybridoma growth factor that supports the in vitro growth of murine plasmacytomas

650 MATTHIAS J. REDDEHASE, WOLFGANG MUTTER, and ULRICH H. KOSZINOWSKI. In vivo application of recombinant interleukin 2 in the immunotherapy of established cytomegalovirus infection

657 V. LEHMAN, M. A. FREUDENBERG, and C. GALANOS. Lethal toxicity of lipopolysaccharide and tumor necrosis factor in normal and D-galactosamine-treated mice

664 MARIAN L. PLUNKETT, MARTIN E. SANDERS, PERIASAMY SELVARAJ, MICHAEL L. DUSTIN, and TIMOTHY A. SPRINGER. Rosetting of activated human T lymphocytes with autologous erythrocytes. Definition of the receptor and ligand molecules as CD2 and lymphocyte function–associated antigen 3 (LFA-3)

677 MICHAEL L. DUSTIN, MARTIN E. SANDERS, STEPHEN SHAW, and TIMOTHY A. SPRINGER. Purified lymphocyte function–associated antigen 3 binds to CD2 and mediates T lymphocyte adhesion

693 URI GALILI, JOANNE BUEHLER, STEPHEN B. SHOHET, and BRUCE MACHER. The human natural anti-Gal IgG. III. The subtlety of immune tolerance in man as demonstrated by crossreactivity between natural anti-Gal and anti-B antibodies

705 DEMETRIUS MOSKOPHIDIS, JÜRGEN LÖHLER, and FRITZ LEHMANN-GRUBE. Antiviral antibody-producing cells in parenchymatous organs during persistent virus infection

720 DAGMAR JÜRGENS, BARBARA STERZIK, and FRANZ J. FEHRENBACH. Unspecific binding of group B streptococcal cocytolysin (CAMP factor) to immunoglobulins and its possible role in pathogenicity

733 AIHAO DING, SAMUEL D. WRIGHT, and CARL NATHAN. Activation of mouse peritoneal macrophages by monoclonal antibodies to MAC-1 (complement receptor type 3)

750 WESTLEY H. REEVES, NILABH CHAUDHARY, AMY SALERNO, and GÜNTER BLOBEL. Lamin B autoantibodies in sera of certain patients with systemic lupus erythematosus

763 GILLA KAPLAN, ASMA NUSRAT, MARGIT D. WITMER, INDIRA NATH, and ZANVIL A. COHN. Distribution and turnover of Langerhans cells during delayed immune responses in human skin

777 ANN B. BJORNSON, PATRICIA I. MAGNAFICHI, ROBERT D. SHREIBER, and H. STEPHEN BJORNSON. Opsonization of Bacteroides by the alternative complement pathway reconstructed from isolated plasma proteins

792 ROBERT F. BREIMAN and MARCUS A. HORWITZ. Guinea pigs sublethally infected with aerosolized *Legionella pneumophila* develop humoral and cell-mediated immune responses and are protected against lethal aerosol challenge. A model for studying host defense against lung infections caused by intracellular pathogens

812 ALAN N. HOUGHTON, FRANCISCO X. REAL, LAURA J. DAVIS, CARLOS CORDON-CARDO, and LLOYD J. OLD. Phenotypic heterogeneity of melanoma. Relation to the differentiation program of melanoma cells

830 STEVEN D. LONDON, DONALD H. RUBIN, and JOHN J. CEBRA. Gut mucosal immunization with reovirus serotype 1/L stimulates virus-specific cytotoxic T cell precursors as well as IgA memory cells in Peyer's patches

848 M. EDWARD MEDOF, ELIZABETH I. WALTER, JOANNE L. RUTGERS, DANIEL M. KNOWLES, and VICTOR NUSSENZWEIG. Identification of the complement decay-accelerating factor (DAF) on epithelium and glandular cells and in body fluids

865 JEAN-MARIE GRZYCH, COLETTE DISSOUS, MONIQUE CAPRON, STÉPHANE TORRES, PAUL-HENRI LAMBERT, and ANDRÉ CAPRON. *Schistosoma mansoni* shares a protective carbohydrate epitope with keyhole limpet hemocyanin

879 ROBERT FOA, GIULIA CASORATI, MARIA CRISTINA GIUBELLINO, GIUSEPPE BASSO, RAFFAELLA SCHIRÒ, GIOVANNI PIZZOLO, FRANCESCO LAURIA, MARIE-PAULE LEFRANC, TERENCE H. RABBITTS, and NICOLA MIGONE. Rearrangements of immunoglobulin and T cell receptor β and γ genes are associated with terminal deoxynucleotidyl transferase expression in acute myeloid leukemia

891 HILARY E. ARMSTRONG, ELEANOR M. BOLTON, IAIN MCMILLAN, SARAH C. SPENCER, and J. ANDREW BRADLEY. Prolonged survival of actively enhanced rat renal allografts despite accelerated cellular infiltration and rapid induction of both class I and class II MHC antigens

BRIEF DEFINITIVE REPORTS

908 DAVID P. HAJJAR, D. BARRY BOYD, PETER C. HARPEL, and RALPH L. NACHMAN. Histidine-rich glycoprotein inhibits the antiproliferative effect of heparin on smooth muscle cells

914 J. VAN DAMME, G. OPDENAKKER, R. J. SIMPSON, M. R. RUBIRA, S. CAYPHAS, A. VINK, A. BILLIAU, and J. VAN SNICK. Identification of the human 26 kD protein, interferon β_2 (IFN-β_2), as a B cell hybridoma/plasmacytoma growth factor induced by interleukin 1 and tumor necrosis factor

920 HERBERT C. MORSE, III, GEORGE F. TIDMARSH, KEVIN L. HOLMES, TORGNY F. FREDRICKSON, JANET W. HARTLEY, JACALYN H. PIERCE, WALLACE Y. LANGDON, MORRIS O. DAILEY, and IRVING L. WEISSMAN. Expression of the 6C3 antigen on murine hematopoietic neoplasms. Association with expression of *abl*, *ras*, *fes*, *src*, *erb*B, and Cas NS-1 oncogenes but not with *myc*

926 CARMEN J. ALLEGRA, JOSEPH A. KOVACS, JAMES C. DRAKE, JUDITH C. SWAN, BRUCE A. CHABNER, and HENRY MASUR. Activity of antifolates against *Pneumocystis carinii* dihydrofolate reductase and identification of a potent new agent

933 CORRECTION

935 CORRECTION

937 CORRECTION

Volume 165 No. 4 April, 1987

941 KARL WELTE, MARY ANN BONILLA, ALFRED P. GILLIO, THOMAS C. BOONE, GENE K. POTTER, JANICE L. GABRILOVE, MALCOLM A. S. MOORE, RICHARD J. O'REILLY, and LAWRENCE M. SOUZA. Recombinant human granulocyte colony–stimulating factor. Effects on hematopoiesis in normal and cyclophosphamide-treated primates

949 L. M. FORRESTER, J. D. ANSELL, and H. S. MICKLEM. Development of B lymphocytes in mice heterozygous for the X-linked immunodeficiency (*xid*) mutation. *xid* inhibits development of all splenic and lymph node B cells at a stage subsequent to their initial formation in bone marrow

959 RYOICHI OGAWA, KAZUO SUGAMURA, and YASUSHI WATANABE. Tyrosine phosphorylation of an interleukin 2 receptor–like protein in cells transformed by human T cell leukemia virus type I

970 MARK SHLOMCHIK, DAVID NEMAZEE, JACQUES VAN SNICK, and MARTIN WEIGERT. Variable region sequences of murine IgM anti-IgG monoclonal autoantibodies (rheumatoid factors). II. Comparison of hybridomas derived by lipopolysaccharide stimulation and secondary protein immunization

988 MICHEL AGUET and GILLES MERLIN. Purification of human γ interferon receptors by sequential affinity chromatography on immobilized monoclonal antireceptor antibodies and human γ interferon

1000 ZHU CHEN, DENIS LE PASLIER, JEAN DAUSSET, LAURENT DEGOS, GEORGES FLANDRIN, DANIEL COHEN, and FRANCOIS SIGAUX. Human T cell γ genes are frequently rearranged in B-lineage acute lymphoblastic leukemias but not in chronic B cell proliferations

1016 JOHN SWANSON, KENNETH ROBBINS, OSMAR BARRERA, and J. MICHAEL KOOMEY. Gene conversion variations generate structurally distinct pilin polypeptides in *Neisseria gonorrhoeae*

1026 GARY RHODES, HELMUT RUMPOLD, PEKKA KURKI, KEVIN M. PATRICK, DENNIS A. CARSON, and JOHN H. VAUGHAN. Autoantibodies in infectious mononucleosis have specificity for the glycine-alanine repeating region of the Epstein-Barr virus nuclear antigen

1041 TIMOTHY A. MIETZNER, GAIL BOLAN, GARY K. SCHOOLNIK, and STEPHEN A. MORSE. Purification and characterization of the major iron-regulated protein expressed by pathogenic *Neisseriae*

1058 JONATHON SEDGWICK, STEVEN BROSTOFF, and DONALD MASON. Experimental allergic encephalomyelitis in the absence of a classical delayed-type hypersensitivity reaction. Severe paralytic disease correlates with the presence of interleukin 2 receptor–positive cells infiltrating the central nervous system

1076 LEWIS L. LANIER, NANCY A. FEDERSPIEL, JOYCE J. RUITENBERG, JOSEPH H. PHILLIPS, JAMES P. ALLISON, DAN LITTMAN, and ARTHUR WEISS. The T cell antigen receptor complex expressed on normal peripheral blood $CD4^-$, $CD8^-$ T lymphocytes. A CD3-associated disulfide-linked γ chain heterodimer

1095 LLOYD B. KLICKSTEIN, WINNIE W. WONG, JOHN A. SMITH, JOHN H. WEIS, JAMES G. WILSON, and DOUGLAS T. FEARON. Human C3b/C4b receptor (CR1). Demonstration of long homologous repeating domains that are composed of the short consensus repeats characteristic of C3/C4 binding proteins

1113 RYO ABE, JOHN J. RYAN, and RICHARD J. HODES. Clonal analysis of the Mls system. A reappraisal of polymorphism and allelisms among Mls^a, Mls^c, and Mls^d

1130 PATRICK CONCANNON, RICHARD A. GATTI, and LEROY E. HOOD. Human T cell receptor V_β gene polymorphism

1141 MICHAEL S. KRANGEL. Endocytosis and recycling of the T3–T cell receptor complex. The role of T3 phosphorylation

1160 PHILIP J. BARR, HELEN L. GIBSON, VINCENZO ENEA, DAVID E. ARNOT, MICHAEL R. HOLLINGDALE, and VICTOR NUSSENZWEIG. Expression in yeast of a *Plasmodium vivax* antigen of potential use in a human malaria vaccine

1172 NICHOLAS CHIORAZZI and WESTLEY H. REEVES. Description and partial characterization of a nucleolar RNA–associated autoantigen defined by a human monoclonal antibody

1188 YOAV CITRI, JONATHAN BRAUN, and DAVID BALTIMORE. Elevated *myc* expression and c-*myc* amplification in spontaneously occurring B lymphoid cell lines

BRIEF DEFINITIVE REPORTS

1195 STEPHEN A. LANDAW, SHIGERU SASSA, GEORGE S. DRUMMOND, and ATTALLAH KAPPAS. Proof that Sn-protoporphyrin inhibits the enzymatic catabolism of heme in vivo. Suppression of ^{14}CO generation from radiolabeled endogenous and exogenous heme sources

1201 RICHARD J. ROBB and WARNER C. GREENE. Internalization of interleukin 2 is mediated by the β chain of the high-affinity interleukin 2 receptor

1207 HAROLD J. JENNINGS, ANDRZEJ GAMIAN, and FRASER E. ASHTON. *N*-Propionylated group B meningococcal polysaccharide mimics a unique epitope on group B *Neisseria meningitidis*

1212 WILLIAM J. MURPHY, VINAY KUMAR, and MICHAEL BENNETT. Rejection of bone marrow allografts by mice with severe combined immune deficiency (SCID). Evidence that natural killer cells can mediate the specificity of marrow graft rejection

1218 V. H. PERRY, M. C. BROWN, and S. GORDON. The macrophage response to central and peripheral nerve injury. A possible role for macrophages in regeneration

1224 FRANCESCO COLOTTA, JI MING WANG, NADIA POLENTARUTTI, and ALBERTO MANTOVANI. Expression of c-*fos* protooncogene in normal human peripheral blood granulocytes

1230 ILONA FUNKE, ALFRED HAHN, ERNST PETER RIEBER, ELISABETH WEISS, and GERT RIETHMÜLLER. The cellular receptor (CD4) of the human immunodeficiency virus is expressed on neurons and glial cells in human brain

Volume 165 No. 5 May, 1987

1237 BRIAN L. KOTZIN and ED PALMER. The contribution of NZW genes to lupus-like disease in $(NZB \times NZW)F_1$ mice

1252 SYAMAL K. DATTA, HIREN PATEL, and DUNCAN BERRY. Induction of a cationic shift in IgG anti-DNA autoantibodies. Role of T helper cells with classical and novel phenotypes in three murine models of lupus nephritis

1269 SHIROMA M. HANDUNNETTI, KAMINI N. MENDIS, and PETER H. DAVID. Antigenic variation of cloned *Plasmodium fragile* in its natural host *Macaca sinica*. Sequential appearance of successive variant antigenic types

1284 KUNIO SANO, ISAO FUJISAWA, RYO ABE, YOSHIHIRO ASANO, and TOMIO TADA. MHC-restricted minimal regulatory circuit initiated by a class II–autoreactive T cell clone

1296 AMY S. ROSENBERG, TOSHIAKI MIZUOCHI, SUSAN O. SHARROW, and ALFRED SINGER. Phenotype, specificity, and function of T cell subsets and T cell interactions involved in skin allograft rejection

1316 STEPHEN J. C. WARNER, KURT R. AUGER, and PETER LIBBY. Human interleukin 1 induces interleukin 1 gene expression in human vascular smooth muscle cells

1332 CHANG-YUIL KANG, HWEI-LING CHENG, STUART RUDIKOFF, and HEINZ KOHLER. Idiotypic self binding of a dominant germline idiotype (T15). Autobody activity is affected by antibody valency

1344 JOHN SWANSON, KENNETH ROBBINS, OSMAR BARRERA, DAN CORWIN, JOHN BOSLEGO, JENNIE CIAK, MILAN BLAKE, and J. MICHAEL KOOMEY. Gonococcal pilin variants in experimental gonorrhea

1358 GERALD L. WANECK, DAVID H. SHERMAN, SUSAN CALVIN, HAMISH ALLEN, and RICHARD A. FLAVELL. Tissue-specific expression of cell-surface Qa-2 antigen from a transfected $Q7^b$ gene of C57BL/10 mice

1371 JOHN DING-E YOUNG, ANGELA DAMIANO, MARIE A. DINOME, LAUREN G. LEONG, and ZANVIL A. COHN. Dissociation of membrane binding and lytic activities of the lymphocyte pore-forming protein (perforin)

1383 STEVEN J. MENTZER, EILEEN REMOLD-O'DONNELL, MARY A. V. CRIMMINS, BARBARA E. BIERER, FRED S. ROSEN, and STEVEN J. BURAKOFF. Sialophorin, a surface sialoglycoprotein defective in the Wiskott-Aldrich syndrome, is involved in human T lymphocyte proliferation

1393 TIMOTHY H. POHLMAN, ROBERT S. MUNFORD, and JOHN M. HARLAN. Deacylated lipopolysaccharide inhibits neutrophil adherence to endothelium induced by lipopolysaccharide in vitro

1403 KAYO INABA and RALPH M. STEINMAN. Monoclonal antibodies to LFA-1 and to CD4 inhibit the mixed leukocyte reaction after the antigen-dependent clustering of dendritic cells and T lymphocytes

BRIEF DEFINITIVE REPORTS

1418 ROCKY S. TUAN and HUNG Q. NGUYEN. Cardiovascular changes in calcium-deficient chick embryos

1424 KATSUYUKI MITOMO, TEIZO FUJITA, and KYOKO IIDA. Functional and antigenic properties of complement receptor type 2, CR2

1430 RICHARD HEDSTROM, JANICE CULPEPPER, ROBERT A. HARRISON, NINA AGABIAN, and GEORGE NEWPORT. A major immunogen in *Schistosoma mansoni* infections is homologous to the heat-shock protein Hsp70

1436 STEVEN L. RABINOWE, RAMESH C. NAYACK, KLAUS KRISCH, KATHERINE L. GEORGE, and GEORGE S. EISENBARTH. Aging in man. Linear increase of a novel T cell subset defined by antiganglioside monoclonal antibody 3G5

1442 WILLIAM H. WHEAT, RICK WETSEL, ANDRAS FALUS, BRIAN F. TACK, and ROBERT C. STRUNK. The fifth component of complement (C5) in the mouse. Analysis of the molecular basis for deficiency

1448 NEMR S. EID, RICHARD E. KRAVATH, and KARL W. LANKS. Heat-shock protein synthesis by human polymorphonuclear cells

1453 SIEW-LAN ANG, J. G. SEIDMAN, GARY M. PETERMAN, ALLAN D. DUBY, DEBORAH BENJAMIN, SOON JIN LEE, and DAVID A. HAFLER. Functional γ chain–associated T cell receptors on cerebrospinal fluid–derived natural killer–like T cell clones

Volume 165 No. 6 June, 1987

1459 T. DEFRANCE J. P. AUBRY, F. ROUSSET, B. VANBERVLIET, J. Y. BONNEFOY, N. ARAI, Y. TAKEBE, T. YOKOTA, F. LEE, K. ARAI, J. DE VRIES, and J. BANCHEREAU. Human recombinant interleukin 4 induces Fcϵ receptors (CD23) on normal human B lymphocytes

1468 SHOSHANA MORECKI, BENNY LESHEM, AHMED EID, and SHIMON SLAVIN. Alloantigen persistence in induction and maintenance of transplantation tolerance

1481 MARGOT SKINNER, GRAHAM LE GROS, JOHN MARBROOK, and JAMES D. WATSON. Development of fetal thymocytes in organ cultures. Effect of interleukin 2

1494 YUKO TAKATA, TAROH KINOSHITA, HARUO KOZONO, JUNJI TAKEDA, ETSUKO TANAKA, KYONGSU HONG, and KOZO INOUE. Covalent association of C3b with C4b within C5 covertase of the classical complement pathway

1508 J. BASTIN, J. ROTHBARD, J. DAVEY, I. JONES, and A. TOWNSEND. Use of synthetic peptides of influenza nucleoprotein to define epitopes recognized by class I–restricted cytotoxic T lymphocytes

1524 YE-SHIH HO, WILLIAM M. F. LEE, and RALPH SNYDERMAN. Chemoattractant-induced activation of c-*fos* gene expression in human monocytes

1539 RHODRI CEREDIG, JANE E. ALLAN, ZSUZSANNA TABI, FELICITY LYNCH, and PETER C. DOHERTY. Phenotypic analysis of the inflammatory exudate in murine lymphocytic choriomeningitis

1552 ROBERT KORNGOLD and JONATHAN SPRENT. Variable capacity for L3T4$^+$ T cells to cause lethal graft-versus-host disease across minor histocompatibility barriers in mice

1565 ABRAHAM KUPFER, SUSAN L. SWAIN, and S. J. SINGER. The specific direct interaction of helper T cells and antigen-presenting B cells. II. Reorientation of the microtubule organizing center and reorganization of the membrane-associated cytoskeleton inside the bound helper T cells

1581 MARIA CRISTINA CUTURI, MARIANNE MURPHY, MARIA PATRICIA COSTA-GIOMI, ROBERTO WEINMANN, BICE PERUSSIA, and GIORGIO TRINCHIERI. Independent regulation of tumor necrosis factor and lymphotoxin production by human peripheral blood lymphocytes

1595 SARAH C. SPENCER and JOHN W. FABRE. Identification in rat liver and serum of water-soluble class I MHC molecules possibly homologous to the murine Q10 gene product

1609 E. LYNETTE WILSON and GILLIAN E. FRANCIS. Differentiation-linked secretion of urokinase and tissue plasminogen activator by normal human hemopoietic cells

1624 DREW M. PARDOLL, B. J. FOWLKES, ROBERT I. LECHLER, RONALD N. GERMAIN, and RONALD H. SCHWARTZ. Early genetic events in T cell development analyzed by in situ hybridization

1639 LINDA S. WICKER, BEVERLY J. MILLER, LISA Z. COKER, SUSAN E. MCNALLY, SOLOMON SCOTT, YOKO MULLEN, and MICHAEL C. APPEL. Genetic control of diabetes and insulitis in the nonobese diabetic (NOD) mouse

1655 DENISE M. PERSIANI, JEANNINE DURDIK, and ERIK SELSING. Active λ and κ antibody gene rearrangement in Abelson murine leukemia virus–transformed pre-B cell lines

1675 ANTON G. ROLINK, THADDÄUS RADASZKIEWICZ, and FRITZ MELCHERS. The autoantigen-binding B cell repertoires of normal and of chronically graft-versus-host–diseased mice

1688 STEPHEN A. STIMPSON, RONALD E. ESSER, PHILIP B. CARTER, R. BALFOUR SARTOR, WILLIAM J. CROMARTIE, and JOHN H. SCHWAB. Lipopolysaccharide induces recurrence of arthritis in rat joints previously injured by peptidoglycan-polysaccharide

1703 STEPHANIE V. SEREMETIS, PIER-GIUSEPPE PELICCI, ANTONIO TABILIO, ANGELA UBRIACO, FRANCESCO GRIGNANI, JANET CUTTNER, ROBERT J. WINCHESTER, DANIEL M. KNOWLES, II, and RICCARDO DALLA-FAVERA. High frequency of clonal immunoglobulin or T cell receptor gene rearrangements in acute myelogenous leukemia expressing terminal deoxyribonucleotidyltransferase

BRIEF DEFINITIVE REPORTS

1713 FRANCIS W. KLOTZ, JEFFREY D. CHULAY, WENDELL DANIEL, and LOUIS H. MILLER. Invasion of mouse erythrocytes by the human malaria parasite, *Plasmodium falciparum*

1719 RUSSELL W. EYRE and JOHN R. STANLEY. Human autoantibodies against a desmosomal protein complex with a calcium-sensitive epitope are characteristic of pemphigus foliaceus patients

1725 WAYNE M. YOKOYAMA, FRITS KONING, GEORG STINGL, JEFFREY A. BLUESTONE, JOHN E. COLIGAN, and ETHAN M. SHEVACH. Production of a T cell hybridoma that expresses the T cell receptor γ/δ heterodimer

1731 DOUGLAS M. LUBLIN, RICHARD S. LEMONS, MICHELLE M. LE BEAU, V. MICHAEL HOLERS, MARK L. TYKOCINSKI, M. EDWARD MEDOF, and JOHN P. ATKINSON. The gene encoding decay-accelerating factor (DAF) is located in the complement-regulatory locus on the long arm of chromosome 1

1737 D. E. MOSIER, R. A. YETTER, and H. C. MORSE, III. Functional T lymphocytes are required for a murine retrovirus-induced immunodeficiency disease (MAIDS)

1743 MARTIN F. HEYWORTH, JOHN R. CARLSON, and THOMAS H. ERMAK. Clearance of *Giardia muris* infection requires helper/inducer T lymphocytes

1749 PETER HOKLAND, MARIANNE HOKLAND, JOHN DALEY, and JEROME RITZ. Identification and cloning of a prethymic precursor T lymphocyte from a population of common acute lymphoblastic leukemia antigen (CALLA)-positive fetal bone marrow cells

1755 DENNIS M. KLINMAN and ALFRED D. STEINBERG. Systemic autoimmune disease arises from polyclonal B cell activation

1761 J. DENRY SATO, TOMOYUKI KAWAMOTO, and TETSUJI OKAMOTO. Cholesterol requirement of 3-X63-Ag8 and X63-Ag8.653 mouse myeloma cells for growth in vitro

1767 AUTHOR INDEX TO VOLUME 165